Hybrid Inverter Firmware Upgrade Guide

Firmware Upgrade Guide

Preparation before Upgrading:

1. a computer, The following table lists the system configurations

guaranteed to work. In general, any x86 or x64 process should

work.

Operating System	Windows 7 SP1 (32-bit	Windows 8 and	Windows 10 (32-
	and 64-bit) Starter,	Windows 8.1 (32-	bit and 64-bit),
	Home Basic, Home	bit and 64-bit),	including Windows
	Premium, Professional,	including Windows	10 Home,
	Ultimate, Enterprise	8/8.1 Core,	Windows 10 Pro,
		Windows 8 /8.1	Windows 10
		Pro, and Windows	Enterprise, and
		8/8.1 Enterprise	Windows 10
			Anniversary
			Update
Processor Speed	1 Ghz 32-bit (x86), 1	1 Ghz 32-bit	1 Ghz 32-bit
	GHz 64-bit (x64)	(x86), 1 GHz 64-	(x86), 1 GHz 64-
		bit (x64)	bit (x64)

2. a USB2.0 cable, Boths ends are standard A interface, As shown

below:



CAUTION: Cannot use USB3.0 cable, it is not compatible with USB2.0 port.

- 3. A Upgrade software package from Inverter manufacturer
- 4. a firmware package

Upgrade Process:

1. Install software: Open the Upgrade software just like

below,click setup.exe to install it,after clicking on next, or $~ \overline{ } -$

步,Yes or 是,install procedure shown as below.

📙 📝 📙 🖛 stream package					— 🗆	\times
文件 主页 共享 查看	•					~ ?
← → ~ ↑ 📙 > 此电脑 > U 盘 (H:) > stream packar		~	ē	搜索"	stream package"	<i>م</i>
 ← → · ↑ ↓ 此电脑 · ∪ 盘 (H;) · stream packer ◆ 快速访问 ● 桌面 ◆ 下载 ● 下载 ● 下载 ● 文档 ※ 使速方向 ● Hybrid Investor Flash Upgrade Guide ● setup Ø stream package 	修改日期 2019/6/7 8:00 2019/6/7 8:00 2019/6/7 8:00	关型 PDF文件 应用程序 Windows Install	0 大小 13,	搜索"。 406 KB 809 KB 715 KB	stream package"	م
☆ stream package 次迎使用 stream package 安芬 安装程序将引导您完成在您的计算机上安装。 警告:本计算机程序受著作权法和国际条约保 或其中任何部分),将受到严厉的民事及刑事 度的起诉。	技向导 stream package stream package	。所需的步骤。 反而擅自复制或代 律许可的范围内	調査	上 一 二 本 握 天 行	×	
Щ.	消 〈	上—歩(B)	Γ—	步(N)	>	

률 stream package	-		×
选择安装文件夹		I	
安装程序将把 stream package 安装到下面的文件夹中。			
要在该文件夹中进行安装,请单击"下一步"。要安装到其他文件 个文件夹或单击"浏览"。	夹,请在	下面输入	.另—
文件夹(E):			
C:\Frogram Files (x86)\stream package\	涼	揽(R)	
	磁盘	ま开销(D).	
为自己还是为所有使用该计算机的人安装 stream package:			
○任何人(E)			
④ 只有我(M)			
取消く上一歩	;(B)	下—步	N) >
🙀 stream package	_		\times
安装完成			
已成功安装 stream package。			
单击"关闭"退出。			
请使用 Windows Update 检查是否有重要的 .NET Framework 更新	0		
取消 < 上一步	(B)	关闭。	5

Finally, an upgrade software shortcut will appear on the windows desktop, Just like the picture below left. Click it, This upgrade software will start. This software show in below right. Now, The software installation is complete.

FlashUpdate CatTargetFile	-		×
マレンStart 一 一 一 売 売 売 売 しまた こ		dsp	

2. Connect USB cable: caution: All operations must be completed under power-off conditions.

Open the lid labeled with the red arrow below, Plug one end of the USB cable into this port, another end USB cable connect to your computer.



3. 开始软件升级:

先通 PV、电网、电池任意一种电源。显示屏亮起以后,打开升级软件如下页面。

3.1 如下请选择"APP"和"COM",找到对应的程序".axf",如下:

Stream			-		
shUpdate Canarg	etFile				
vpp v Impor	t				
OM2					
Upgra					
arm dsp	reboot				
	-				
3.2 请	选择" Import":				
Stream	/	-		×	
Update CatTarget	e .				
vo v Import					
p inport					
Upgrad					
arm dsk	✔• 打开				×
	← → · ↑ ▲ 《 奠面 > product > LV · · · · · · · · · · · · · · · · · ·	搜察"LV"			,p
	组织 ▼ 新建文件夹				0
	↓下號 ★ ^ 名称		修改日期		-
	📴 文档 💉 📴 old		2020/3/	14 14:1	2 3
	III 图片 / WIFI		2020/2/	25 17:2	2 3
	7.6K produc 🖈 📄 hybrid_appV22.axf		2020/1/	13 19:2	0 4
	SKTL 测试报告 HybridInverterSK.out		2020/3/	10 18:1	6 (
	LV HybridinverterSK_V1008001D012_6K.out		2020/1/	14 14-1	1 0
	old		eace/ 31	14,1441	5
	OneDrive				
	🖵 此电脑				
					>
		elf files(*.ar	d, *.out)		*
	参 网络 → < 文件名(N): 、	elf files(*.ar	d, *.out)	Ontar	~

😽 Stream			_	×
FlashUpdate	CatTargetFile			
App 👻	Import	C:\Users\Administrator\Desktop\product\LV\hybrid_appV22.axf		
COM3 ×	Upgrade			
arm	dsp	reboot		

3.3 选择后,只需点击"Upgrade"固件升级,在升级软件中有一个 滚动条移动,等待 105 左右,闪存升级完成,显示如下。

😽 Stream				_	\times
FlashUpdate Cat	largetFile				
App ~ Ir	C:\Users\Administrator\De	esktop\product\LV\hybrid_appV2	22.axf		
COM3 v U	grade				
arm o	reboot				
					.:

😽 Stream			_	×
FlashUpdate	CatTargetFile			
App 🖌	Import	C:\Users\Administrator\Desktop\product\LV\hybrid_appV22.axf		
COM3 ~	Upgrade			
arm	dsp	reboot		
There wer There wer file transfe current iaj fu status: fu addr ba fu current fu next ad is received host reser image ver	e 0 transfer er e 0 image veri r: 18586.65by b target: 1 16 se: 0x0800d0(address: 0x08 dress: 0x0803' I usb msg: 0 fy err num: 0	rors in this upgrade! 2020/3/14 14:19:47 fy fault in this upgrade! 2020/3/14 14:19:47 tes/s 00 0399a0 099d0		^
current re- err id: 0x0 err code: (reserved: (ceived progra 0000000)x00000000)))	n addr from mcu: 0		~

3.4 再次选择"Import"查找对应需要升级的".out"文件。

💑 Stream			_		
FlashUpdate	CatTargetFil				
Boot ~	Impo				
COM3 ×	Upgrade				
arm	dsp	↓ 打开 ← → ✓ ↑ ··· ▲ 《 桌面 > product > LV ✓ 〕 搜	素"LV"	: مر	×
		组织 ▼ 新建文件夹		==	
		↓ 下載 ★ ^ 名称 ^		修改日期	-00
		🗎 文档 🛛 📌 🔤 old		2020/3/14 14:12	2
		NIFI		2020/2/25 17:22	3
		7.6K produc hybrid_appV22.axf		2020/1/13 19:20	F
				2020/3/10 18:16	C
		LV HybridInverter5K_V100B001D012_6K.out		2020/1/17 15:02	C
		old		2020/3/14 14:11	C
		三代			
		OneDrive			
		🔜 此电脑			
	_	🥶 网络 🗸 🗸			>
		文件名(N): Velf	f files(*.axf	, *.out) ~	
Ŀ			打开(O)	取消	

3.5 选择后,只需点击" Upgrade"固件升级,在升级软件中有一个滚动条移动,等待 105 左右,闪存升级完成,显示如下。

🐺 Stream				
			_	\times
FlashUpdate	CatTargetFile			
Boot 👻	Import	$\label{eq:c:Users} C: \label{eq:c:Users} C$		
COM3 v	Upgrade			
	1.4			
arm	dsp	reboot		
😽 Stream			_	\times
FlashUpdate	CatTargetFile	e		
Boot ~	Import	$C: \label{eq:c:Users} Administrator \label{eq:c:Users} C: \label{eq:c:Users} Administrator \label{eq:c:Users} C: \label{eq:c:Users} Administrator \label{eq:c:Users} C: \label$	ut	
COM3 v	Start			
				100 C
	1.			
агт	dsp	reboot		
There we	dsp ere 0 transfer er ere 0 image ver	reboot rors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58		^
There we There we file trans	dsp ere 0 transfer er ere 0 image ver fer: 6760.47byt	reboot rors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58 es/s		~
There we There we file trans flash upo flash upo	dsp ere 0 transfer ei ere 0 image ver fer: 6760.47byt date status: 3 date base addr:	reboot rrors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58 es/s		^
There we There we file trans flash upo flash upo next pro received	dsp ere 0 transfer er fer: 6760.47byt date status: 3 date base addr: gram address: 0 program address	reboot rors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58 es/s 0x00080000 0x0008eee0 0x0008eee8		^
There we There we file trans flash upo flash upo next proo received current p post resp	dsp ere 0 transfer er ere 0 image ver fer: 6760.47byt date status: 3 date base addr: gram address: (program address) program addr: 0 poogram addr: 0	reboot rors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58 es/s 0x00080000 0x0008eec0 0x0008eec8 1x0008eec8 addr: 0x0008eec8		^
There we There we file trans flash upo flash upo next pro- received current p post resp err id: 0x err code:	dsp ere 0 transfer er ere 0 image ver fer: 6760.47byt date status: 3 date base addr: gram address: 1 program address: orogram addr: 0 oonse program 00000000 0 xx00000000	reboot rors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58 es/s 0x00080000 0x0008eec0 0x0008eec8 0x0008eec8 addr: 0x0008eec8		^
There we There we file trans flash upo flash upo received current p post resp err id: 0x err code: msg rese crc err cr	dsp ere 0 transfer ei ere 0 image ver fer: 6760.47byt date status: 3 date base addr: gram address: program addr: orogram addr: orogram addr: 00000000 0.0x0000000 0.0x0000000 e. 0x0000000 end cnt: 0 nt: 0	reboot rors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58 es/s 0x00080000 0x0008eee0 0x0008eec8 0x0008eec8 addr: 0x0008eec8		^
There we There we file trans flash upo flash upo next pro- received current p post resp err id: 0x err code: msg rese crc err cr verify im received	dsp ere 0 transfer ere re 0 image ver fer: 6760.47byt date status: 3 date base addr: program address: program address: program address program address program program address program progra	reboot rors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58 es/s 0x00080000 0x0008eec0 0x0008eec8 0x0008eec8 addr: 0x0008eec8		^
There we There we file trans flash upo flash upo next proo received current p post resp err id: 0x err code: msg rese crc err cr verify im received response	dsp ere 0 transfer er ere 0 image ver fer: 6760.47byt date status: 3 date base addr:: gram address: program addr: 0 conse program 0000000 0 x00000000 0 x00000000 i 0 x0000000 i 0 x00000000 i 0 x00000000 i 0 x0000000 i 0 x00000000 i 0 x00000000 i 0 x00000000 i 0 x0000000 i 0 x0000000 i 0 x0000000 i 0 x0000000 i 0 x00000000 i 0 x00000000 i 0 x00000000 i 0 x0000000000	reboot rors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58 es/s 0x0008000 0x0008eee0 0x0008eec8 0x0008eec8 addr: 0x0008eec8		~
There we There we file trans flash upo flash upo next proy received current p post resp err id: 0x err code: msg rese crc err cr verify im received response	dsp ere 0 transfer er ere 0 image ver fer: 6760.47byt date status: 3 date base addr: 0 program address: program address: program address program addre progr	reboot rors in this upgrade! 2020/3/14 14:23:58 ify fault in this upgrade! 2020/3/14 14:23:58 es/s 0x00080000 0x0008eec0 0x0008eec8 0x0008eec8 addr: 0x0008eec8		~

3.6 返回主页面查询显示的软件版本,看是否升级成功。

